LITAH OIL AND GAS CONSERVATION COMMISSION WELL LOG SUB. REPORT/abd. REMARKS ELECTRIC LOGS FILE V WATER SANDS LOCATION INSPECTED 9-16-91 DATE FILED PUBLIC LEASE NO. 11-013769 LAND: FEE & PATENTED STATE LEASE NO. INDIAN DRILLING APPROVED: 9-20-91 SPUDDED IN: PUT TO PRODUCING COMPLETED: 11-21-91 LA INITIAL PRODUCTION: GRAVITY A.P.I. GOR: PRODUCING ZONES: TOTAL DEPTH WELL ELEVATION: DATE ABANDONED LA'D PER OPERATOR EFFECTIVE 11-21-91 FIELD: NATURAL BUTTES UNIT: RIVER BEND COUNTY: UINTAH API NO. 43-047-32104 WELL NO RBU 7-18F 2185' FNL 1794' FEL FT. FROM (E) (W) LINE. SW NE 1/4 - 1/4 SEC. 18 LOCATION FT. FROM (N) (S) LINE, TWP. RGE. SEC. **OPERATOR** TWP. RGE. SEC. **OPERATOR** CNG PRODUCING COMPANY **10S** 20E 18

September 13, 1991

Mr. Ed Forsman U.S. Dept. of the Interior Bureau of Land Management Vernal District Office 170 South 500 East Vernal, UT 84078

RE: River Bend Unit

Application for Permit To Drill

River Bend Unit 7-18F Section 18-T10S-R20E

Gentlemen:

Enclosed please find original and two copies of the subject applications. Attachment to this application includes the following:

Attachment 1	No.	1	Location
Attachment 1	No.	2	Certification Statement
Attachment 1	No.	3	BOP Stack Schematic
Attachment !	No.	4	Drilling Plan
Attachment I	No.	5	13 Point Surface Use Plan
Attachment 1	No.	6	Water Source and Access Route
Attachment I	No.	7	Water Permit

CNG Producing Company is requesting all information be held confidential.

It would be appreciated if this permit could be expedited since drilling is planned to begin on October 7, 1991.

Should you have any question please feel free to contact either myself at (504) 593-7260 or the project engineer, Doss Bourgeois at (504) 593-7719.

Sincerely,

Susan M. Hebert Regulatory Reports Asst. II

Enclosure

cc: Utah Board of Oil, Gas & Mining


SEP 1 6 1991

DIVISION OF OIL GAS & MINING

(No bas 4083)			(Other instru	ction	Budget Bureau No. 1004	1-0136
(November 1983) (formerly 9-331C)		UL ED STAT		ON FEVERSE		Expires August 31, 1985	
(tomieny 3"33 to)		DEPARTMENT O				5. LEASE DESIGNATION	
		BUREAU OF LAN				U-012769	
ADDLICATI	ON FOR PERMIT					6. IF INDIAN, ALLOTTEE	OR TRIBE NAME
1a. TYPE OF WOR		TO DITICL, DELI	Lit, Oil Louis			,	
14. TTPE OF WOR	DRILL [X]	DEEPEN []	PLUG BACK []			7. UNIT AGREEMENT NA	ME
b. TYPE OF WELL	• •		••			River Bend Unit	
OIL WELL []		OTHER	SINGLE ZONE []	MULTIPLE :	ZONE []	8. FARM OR LEASE NAM	ΛE
2. NAME OF OPE						RBU	
	DUCING COMPAI	NY				9. WELL NO.	
3 ADDRESS OF C	OPERATOR					7-18F	
CNG Towe	er, 1450 Poydras	St New Orleans.	LA 70112-600	00		10. FIELD AND POOL, C	R WILDCAT
	WELL (Report location				ents.*)	Matural B	
At surface	,	•	•			11. SEC., T., R., M., OR	
2,185' FNI	L & 1,794' FEL		CONTI	DENITI	1 1	AND SURVEY OR ARI	EA
At proposed pro		ſ	CONFI	DEMI	NL	ļ	
Same	Ì	~ SWAF				18-T10S-R20E	
14. DISTANCE IN	MILES AND DIRECTI	ON FROM NEAREST	TOWN OR POST O	FFICE*		12. COUNTY OR PARISI	13. STATE
10 Miles S	W of Ouray					Uintah	Utah
15. DISTANCE FR	OM PROPOSED*		16. NO. OF ACRE	ES IN LEASE		F ACRES ASSIGNED	
LOCATION TO			1		TOTHIS	3 WELL	
	LEASE LINE, FT.		405.07			4.50	
	t drlg. unit line if any)		196.27	DEDTI.	00 00745	160 RY OR CABLE TOOLS	
	OM PROPOSED LOG		19. PROPOSED	DEPIH	20. ROTAL	RY OR CABLE TOOLS	
	WELL, DRILLING, CO		7,500° W	STC	Rota	IFI/	
	OR, ON THIS LEASE, (Show whether DF, R		1 7,500 W	.)10	TOG	22. APPROX. DATE WO	DK WILL START
	5,109' GR	1, GR, E.C.)				October 7, 1991	IN WILL DIAM
23.	3,107 Cit	PROPOSED CASING	AND CEMENTING	PROGRAM)	00.00017,1331	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT			•	QUANTITY OF CEMENT	<u> </u>
12 1/4"	8 5/8"	24#	+/- 400			Cement to Surface	
			4		····		Z
7 7/8"	5 1/2"	1 1/#	1 +/-/.500	l		Cement Gaic to Sun	ace
7 7/8"	5 1/2"	17#	+/-7,500	<u></u>		Cement Calc to Surf	ace
1. Drill a 12 1/	4" hole with an a	ir rig to +/-400', r	un 8 5/8" , H-46			nt to surface.	ace
1. Drill a 12 1/ 2. NU and pre	4" hole with an a	ir rig to +/-400', r tack (Attach #2) p	un 8 5/8" , H-40 rior to drilling o			nt to surface.	ace This Wiston
1. Drill a 12 1/ 2. NU and pre 3. Operate pip	'4" hole with an a essure test BOP s be rams daily and	ir rig to +/-400', n tack (Attach #2) p blind rams as po	un 8 5/8" , H-40 rior to drilling o ssible.	ut below s	urface pi	nt to surface.	
1. Drill a 12 1/ 2. NU and pre 3. Operate pip 4. Drill a 7 7/8	'4" hole with an a essure test BOP s be rams daily and '" hole to 7,500' v	ir rig to +/-400', ri tack (Attach #2) p blind rams as po vith a salt water m	un 8 5/8" , H-40 rior to drilling o ssible.	ut below s	urface pi	nt to surface.	ace Jany (51)
1. Drill a 12 1/ 2. NU and pre 3. Operate pip 4. Drill a 7 7/8	4" hole with an a essure test BOP s be rams daily and " hole to 7,500' v	ir rig to +/-400', n tack (Attach #2) p blind rams as po vith a salt water m	un 8 5/8" , H–40 rior to drilling of ssible. nud system . Co	ut below s oring is po	surface pi ssible. D	nt to surface. pe. ST's will be run as	
1. Drill a 12 1/ 2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s	'4" hole with an a essure test BOP s be rams daily and " hole to 7,500' v evaluate unexpec et 5 1/2", 17#, N	ir rig to +/-400', n tack (Attach #2) p blind rams as po vith a salt water m cted shows 80 & K-55 casing	un 8 5/8" , H–40 rior to drilling of ssible. Tud system . Co g as dictated by	ut below s pring is po drilling sh	surface pi ssible. D nows, test	nt to surface. pe. ST's will be run as	
1. Drill a 12 1/ 2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s	4" hole with an a essure test BOP s be rams daily and " hole to 7,500' v	ir rig to +/-400', n tack (Attach #2) p blind rams as po vith a salt water m cted shows 80 & K-55 casing	un 8 5/8" , H–40 rior to drilling of ssible. Tud system . Co g as dictated by	ut below s pring is po drilling sh	surface pi ssible. D nows, test	ont to surface. pe. ST's will be run as s, and logs. Casing	1 6 1991
1. Drill a 12 1/ 2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m	'4" hole with an a essure test BOP s be rams daily and " hole to 7,500' v evaluate unexpec et 5 1/2", 17#, N hay be modified to hes of interest are	ir rig to +/-400', rig to +/-400', rightack (Attach #2) publind rams as powith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch. Ch	un 8 5/8", H-40 rior to drilling of ssible. rud system. Co g as dictated by ourst strength if mapita Wells & U	ut below s oring is po drilling sh needed fo Iteland Bu	surface pi ssible. D nows, test or frac pro ittes.	nt to surface. pe. ST's will be run as s, and logs. Casing ogram.	1 6 1991 ISION OF
1. Drill a 12 1/ 2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m	'4" hole with an a essure test BOP s be rams daily and " hole to 7,500' v evaluate unexpec et 5 1/2", 17#, N hay be modified to hes of interest are	ir rig to +/-400', rig to +/-400', rightack (Attach #2) publind rams as powith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch. Ch	un 8 5/8", H-40 rior to drilling of ssible. rud system. Co g as dictated by ourst strength if mapita Wells & U	ut below s oring is po drilling sh needed fo Iteland Bu	surface pi ssible. D nows, test or frac pro ittes.	nt to surface. pe. ST's will be run as s, and logs. Casing ogram.	1 6 1991 ISION OF
1. Drill a 12 1/ 2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m	'4" hole with an a essure test BOP s be rams daily and " hole to 7,500' v evaluate unexpec et 5 1/2", 17#, N hay be modified to hes of interest are dicating potential	ir rig to +/-400', rig to +/-400', rightack (Attach #2) publind rams as powith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch. Ch	un 8 5/8", H-40 rior to drilling of ssible. rud system. Co g as dictated by ourst strength if mapita Wells & U	ut below s oring is po drilling sh needed fo Iteland Bu	surface pi ssible. D nows, test or frac pro ittes.	ont to surface. pe. ST's will be run as s, and logs. Casing	1 6 1991 ISION OF
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma	'4" hole with an a essure test BOP s be rams daily and " hole to 7,500' v evaluate unexpec et 5 1/2", 17#, N hay be modified to hes of interest are dicating potential	ir rig to +/-400', rig to +/-400', rig to +/-400', right ack (Attach #2) publind rams as povith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch, Children for economically	un 8 5/8", H-40 rior to drilling or ssible. nud system. Co g as dictated by ourst strength if napita Wells & U recoverable re	oring is po drilling sh needed fo Iteland Bu serves wil	surface pi ssible. D nows, test or frac pro ittes.	nt to surface. pe. ST's will be run as s, and logs. Casing ogram.	1 6 1991 ISION OF
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even	'4" hole with an a sesure test BOP so the rams daily and by hole to 7,500' veraluate unexpended 5 1/2", 17#, Notes are adicating potential anner.	ir rig to +/-400', ri tack (Attach #2) p blind rams as po vith a salt water m cted shows. 80 & K-55 casing provide added b the Wasatch, Ch for economically	un 8 5/8", H-40 rior to drilling or ssible. nud system. Co g as dictated by ourst strength if napita Wells & U recoverable re	oring is po drilling sh needed fo Iteland Bu serves wil	surface pi ssible. D nows, test or frac pro ittes.	nt to surface. pe. ST's will be run as s, and logs. Casing ogram. Oil G	P 1 6 1991 VISION OF AS & MINING
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even	'4" hole with an a sesure test BOP so the rams daily and by hole to 7,500' veraluate unexpended 5 1/2", 17#, Notes are adicating potential anner.	ir rig to +/-400', rig to +/-400', rig to +/-400', right ack (Attach #2) publind rams as posith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch, Chifor economically n, air or air assistant DEPTHS	un 8 5/8", H-40 rior to drilling or ssible. nud system. Co g as dictated by ourst strength if napita Wells & U recoverable re	oring is po drilling sh needed fo Iteland Bu serves wil	surface pi ssible. D nows, test or frac pro ittes.	nt to surface. pe. ST's will be run as s, and logs. Casing ogram. Oil G	P 1 6 1991 VISION OF AS & MINING
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1	'4" hole with an a sesure test BOP so the rams daily and by hole to 7,500' veraluate unexpended 5 1/2", 17#, Notes are adicating potential anner.	ir rig to +/-400', rig to +/-400', rotack (Attach #2) publind rams as powith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch, Chifor economically n, air or air assistant DEPTHS 4,700'	un 8 5/8", H-40 rior to drilling or ssible. nud system. Co g as dictated by ourst strength if napita Wells & U recoverable re	oring is po drilling sh needed fo Iteland Bu serves wil	surface pi ssible. D nows, test or frac pro ittes.	nt to surface. pe. ST's will be run as s, and logs. Casing ogram. Oil G	1 6 1991 ISION OF
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells	'4" hole with an a sesure test BOP so the rams daily and by hole to 7,500' we waluate unexpended to 1/2", 17#, Now he was of interest are adicating potential anner. It of lost circulations to the sof interest are to the waluate anner.	ir rig to +/-400', ritack (Attach #2) publind rams as posith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch, Children for economically noted as a salt water moted shows. DEPTHS 4,700' 5,350'	un 8 5/8", H-40 rior to drilling or ssible. nud system. Co g as dictated by ourst strength if napita Wells & U recoverable re	oring is po drilling sh needed fo Iteland Bu serves wil	surface pi ssible. D nows, test or frac pro ittes.	nt to surface. pe. ST's will be run as s, and logs. Casing ogram. Oil G	P 1 6 1991 VISION OF AS & MINING
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Butter	'4" hole with an a ssure test BOP so rams daily and 'n hole to 7,500' veraluate unexperent 5 1/2", 17#, No ray be modified to res of interest are adicating potential anner. It of lost circulations	ir rig to +/-400', right ack (Attach #2) publind rams as posith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch, Children economically n, air or air assiste DEPTHS 4,700' 5,350' 6,450'	un 8 5/8", H-40 prior to drilling of ssible. The system. Co gas dictated by purst strength if napita Wells & U recoverable re ed mud will be to	ut below s oring is po drilling sh needed fo Iteland Bu serves wil utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ont to surface. pe. ST's will be run as is, and logs. Casing ogram. Id in a normal, Oil G	P 1 6 1991 VISION OF AS & MINING
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Butter	'4" hole with an a sesure test BOP so the rams daily and by hole to 7,500' we waluate unexpended to 1/2", 17#, Now he was of interest are adicating potential anner. It of lost circulations to the sof interest are to the waluate anner.	ir rig to +/-400', right ack (Attach #2) publind rams as posith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch, Children economically n, air or air assiste DEPTHS 4,700' 5,350' 6,450'	un 8 5/8", H-40 prior to drilling of ssible. The system. Co gas dictated by purst strength if napita Wells & U recoverable re ed mud will be to	ut below s oring is po drilling sh needed fo Iteland Bu serves wil utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ont to surface. pe. ST's will be run as is, and logs. Casing ogram. Id in a normal, Oil G	P 1 6 1991 VISION OF AS & MINING
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE	'4" hole with an a sesure test BOP so rams daily and by hole to 7,500' veraluate unexpect 5 1/2", 17#, Notes of interest are adicating potential anner. It of lost circulation to the sesure of the second interest are adicating potential anner. It of lost circulation to the second interest are anner. It of lost circulation to the second interest are anner.	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Chifor economically 1,700' 5,350' 6,450' 1,000 1,0	un 8 5/8", H-40 rior to drilling of ssible. The system. Co g as dictated by burst strength if tapita Wells & U recoverable re ad mud will be to mation concern oposal is to deeper	oring is po drilling sh needed fo Iteland Bu serves wil utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ont to surface. pe. ST's will be run as s, and logs. Casing ogram. It is a normal, Oil Good confidential. To on present productive zo	P 1 6 1991 VISION OF AS & MINING DENTIAL One and proposed
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent m 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo	'4" hole with an a sesure test BOP so rams daily and be rams daily and be rams daily and be rams daily and less of interest are adicating potential anner. It of lost circulation TOPS DESCRIBE PROPOSONE. If proposal is to	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Character for economically and air or air assisted by the the wasatch, air or air assisted by the	un 8 5/8", H-40 rior to drilling of ssible. The system. Co g as dictated by burst strength if tapita Wells & U recoverable re ad mud will be to mation concern oposal is to deeper	oring is po drilling sh needed fo Iteland Bu serves wil utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ont to surface. pe. ST's will be run as is, and logs. Casing ogram. Id in a normal, Oil Go CONFIL	P 1 6 1991 VISION OF AS & MINING DENTIAL One and proposed
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout pres	'4" hole with an a sesure test BOP so rams daily and by hole to 7,500' veraluate unexpect 5 1/2", 17#, Notes of interest are adicating potential anner. It of lost circulation to the sesure of the second interest are adicating potential anner. It of lost circulation to the second interest are anner. It of lost circulation to the second interest are anner.	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Character for economically and air or air assisted by the the wasatch, air or air assisted by the	un 8 5/8", H-40 rior to drilling of ssible. The system. Co g as dictated by burst strength if tapita Wells & U recoverable re ad mud will be to mation concern oposal is to deeper	oring is po drilling sh needed fo Iteland Bu serves wil utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ont to surface. pe. ST's will be run as sets, and logs. Casing organ. CONFIL	1 6 1991 VISION OF AS & MINING DENTIAL One and proposed and true vertical dept
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent m 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo	4" hole with an a essure test BOP so the rams daily and by hole to 7,500' veraluate unexpected 5 1/2", 17#, Notes and interest are adicating potential anner. It of lost circulation TOPS TOPS	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Charles for economically and air or air assisted by the the wasatch, air or air assisted by the	un 8 5/8", H-40 rior to drilling of ssible. The system. Co g as dictated by turst strength if mapita Wells & U recoverable re ed mud will be to mation concern oposal is to deeper onally, give pertine	oring is po drilling sh needed fo Iteland Bu serves will utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ort to surface. pe. ST's will be run as as as, and logs. Casing organ. CONFIL Confidential. The confidential of the confidential organization and measured are continued as a continue and measured are continued.	P 1 6 1991 VISION OF AS & MINING DENTIAL One and proposed
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24.	4" hole with an a essure test BOP so the rams daily and by hole to 7,500' veraluate unexpected 5 1/2", 17#, Notes and interest are adicating potential anner. It of lost circulation TOPS TOPS	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Chifor economically 1,700' 5,350' 6,450' 1,000 for deepen directions.	un 8 5/8", H-40 rior to drilling of ssible. The system. Co g as dictated by turst strength if mapita Wells & U recoverable re ed mud will be to mation concern oposal is to deeper onally, give pertine	oring is po drilling sh needed fo Iteland Bu serves wil utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ort to surface. pe. ST's will be run as as as, and logs. Casing organ. CONFIL Confidential. The confidential of the confidential organization and measured are continued as a continue and measured are continued.	1 6 1991 ISION OF AS & MINING DENTIAL One and proposed and true vertical dept
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24. SIGNED	4" hole with an a sesure test BOP so the rams daily and in hole to 7,500' we walked unexpected 5 1/2", 17#, Notes and interest are adicating potential anner. It of lost circulation to the solution of lost circulation of lost	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water moted shows. 80 & K-55 casing provide added be the Wasatch, Chifor economically not air or air assisted to be the Wasatch, Chifor economically 1,700' 5,350' 6,450' 1,450'	un 8 5/8", H-40 rior to drilling of ssible. The system. Co g as dictated by turst strength if mapita Wells & U recoverable re ed mud will be to mation concern oposal is to deeper onally, give pertine	oring is po drilling sh needed fo Iteland Bu serves will utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	ont to surface. pe. ST's will be run as as, and logs. Casing ogram. CONFIL C	1 6 1991 ISION OF AS & MINING DENTIAL One and proposed and true vertical dept
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zo Give blowout prev 24. SIGNED	4" hole with an a essure test BOP so the rams daily and if hole to 7,500' veraluate unexpected 5 1/2", 17#, Notes of interest are adicating potential anner. It of lost circulation TOPS	ir rig to +/-400', ritack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Children for economically and air or air assisted to be the Wasatch, Children for economically 1,700' 5,350' 6,450' 1,4	un 8 5/8", H-40 rior to drilling of ssible. Title mation concern oposal is to deeper onally, give pertine	oring is po drilling sh needed fo Iteland Bu serves will utilized.	surface pi ssible. D nows, test or frac pro ittes. Il be teste	confidential. a on present productive zo ocations and measured at the productive and the	1 6 1991 ISION OF AS & MINING DENTIAL One and proposed and true vertical dept
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zor Give blowout prev 24. SIGNED (This space for Fe PERMIT NO.	4" hole with an a sesure test BOP so the rams daily and in hole to 7,500' we walked unexpected 5 1/2", 17#, Notes and interest are adicating potential anner. It of lost circulation to the solution of lost circulation of lost	ir rig to +/-400', ritack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Children for economically and air or air assisted to be the Wasatch, Children for economically and air or air assisted to be the Wasatch, Children for economically and air or air assisted to be the Wasatch, Children for economically and air or air assisted to be the Wasatch, Children for economically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically and air or air assisted to be a seconomically assisted to be a se	un 8 5/8", H-40 rior to drilling of ssible. TITLE APPROVAL DATE	oring is po drilling sh needed fo Iteland Bu serves will utilized.	ell be held by surface ping the surface produced by the surface in	confidential. a on present productive zo ocations and measured at the productive and the	1 6 1991 ISION OF AS & MINING DENTIAL One and proposed and true vertical dept
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zor Give blowout prev 24. SIGNED (This space for Fe PERMIT NO. APPROVED BY	A" hole with an a essure test BOP so the rams daily and by hole to 7,500' we evaluate unexpect 5 1/2", 17#, Not have be modified to the sof interest are adicating potential anner. It of lost circulation TOPS	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Chifor economically not air or air assisted to the Wasatch of the	un 8 5/8", H-40 rior to drilling of ssible. Todaystem. Co gas dictated by burst strength if mapita Wells & U recoverable re ed mud will be to mation concern oposal is to deeper onally, give pertine	oring is po drilling sh needed fo Iteland Bu serves will utilized.	ell be held ck, give date subsurface I or, Aprillin OF OIL DATE: BY:	confidential. a on present productive zero coations and measured and confidential. CONFIGURATION OF THE APTUTAH DIVISION OF	1 6 1991 ISION OF AS & MINING DENTIAL One and proposed and true vertical dept
1. Drill a 12 1/2. NU and pre 3. Operate pip 4. Drill a 7 7/8 needed to 5. Run logs, s program m 6. Primary zor 7. All zones in prudent ma 8. In the even FORMATION 1 Wasatch Chapita Wells Uteland Buttes CNG Producin IN ABOVE SPACE new productive zor Give blowout prev 24. SIGNED (This space for Fe PERMIT NO. APPROVED BY	4" hole with an a sesure test BOP so the rams daily and in hole to 7,500' we walked unexpected 5 1/2", 17#, Notes and interest are adicating potential anner. It of lost circulation to the solution of lost circulation of lost	ir rig to +/-400', rictack (Attach #2) publind rams as posith a salt water meted shows. 80 & K-55 casing provide added be the Wasatch, Chifor economically not air or air assisted to the Wasatch of the	un 8 5/8", H-40 rior to drilling of ssible. Title APPROVAL DATE TITLE	oring is pooring is pooring is pooring should be detected for the serves will be utilized.	ell be held ck, give date subsurface I or, Aprillin OF OIL DATE: BY:	confidential. a on present productive zo ocations and measured at the productive and the	1 6 1991 ISION OF AS & MINING DENTIAL One and proposed and true vertical dept

CNG PRODUCING CO WELL LOCATION PLAT RBU 7-18F

SECTION 18, TIOS, R20E, S.L.B.&M.



LEGEND & NOTES

◆ Corner monuments found and used by this survey.

The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. quadrangle map.

SURVEYOR'S CERTIEMATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

> Jarry D. Afred, Registered Land Surveyor, Cert. No. 3817 (Utah)



JERRY D. ALLRED & ASSOCIATES
Surveying & Engineering Consultants

121 North Center Street P.O. Drawer C DUCHEBNE, UTAH 84021 (801) 738-5352

DRILLING PLAN APPROVAL OF OPERATIONS

September 13, 1991

Attachment for Permit to Drill

Name of Operator: CNG PRODUCING COMPANY

Address:

CNG TOWER - 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

WELL LOCATION:

Well No. 7-18F

Uintah, Utah

1. GEOLOGIC SURFACE FORMATION

Uintah

ESTIMATE IMPORTANT GEOLOGIC MARKERS 2.

CONFIDENT!^!

Formation	<u>Depth</u>
Wasatch Tongue	4200'
Green River Tongue	4550'
Wasatch	4700'
Chapita Wells	5350 <i>*</i>
Uteland Buttes	6450'

ESTINATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS 3.

<u>Formation</u>	<u>Depth</u>	Remarks
Wasatch Tongue	4200'	Oil Zone
Chapita Wells	5350′	Gas Zone
Uteland Buttes	6450′	Gas Zone

PROPOSED CASING PROGRAM 4.

8-5/8*, 24#/ft, H-40, 0'-400' - Cemented to Surface 5%*, 17#/ft, N-80 & K-55, O'- 7500' - Cemented to Surface

OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL 5.

See Attachment No. 2, Attached.

BOP stack has a 3000 psi working pressure. BOP will be pressure tested to 2,700 psi before drilling casing cement plug. Pipe rams will be operated daily and blind rams as possible.

The well is to be drilled with a Potassium Chloride mud system 6. maintaining a weight of approximately 9#/gal.

River Bend Unit 7-18F September 13, 1991

7. AUXILIARY EQUIPMENT TO BE USED

CONFIDENTIAL

- Kelly Cock.
- 2. Full opening valve on floor with DP connection for use when Kelly is not in string.
- 3. Pit volume totalizer equipment will be used.

8. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

A mud logger will be used from 3,500' to TD. Possible DST in Wasatch Tongue. The logging program will include Dual Lateral/GR log TD to Surface, Density/Neutron - TD - 3,500' possible dipmeter and rotary cores over selected intervals.

9. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

No normal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H_2S gas. The anticipated bottom hole pressure is 2,610 PSI.

10. WATER SUPPLY

- A. Water to be used for drilling will be hauled from CNG's OSC #1 well located in Section 17-T1OS-R2OE. Application #54801 User's Claim Code #49, Serial #801.
- B. No pipelines are anticipated. Hauling will be on the road(s) shown in Attachment No. 3.
- C. No water well is anticipated to be drilled at this time.

11. CEMENT SYSTEMS

Lead Slurry - 195 sk DS Hi-Lift, 3% D-44 Salt, 10#/sk D-42 Kolite, .25#/sk D-29 Celloflake.

Tail Slurry - 335 sk RFC 10-0 (thixotopic).

12. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: October 7, 1991

Duration: 20 Days

Date	NOS	Received:	
------	-----	-----------	--

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

CONFIDENTIAL

Company/Operator: CNG PRODUCING CUMPANY
Well Name & Number: RBU 7-18F
Lease Number: U-013769
Location: SW/4 of NE/4 Sec. 18 T. 10S R. 20E
Surface Ownership: Bureau of Land Management
NOTIFICATION REQUIREMENTS
Location Construction - forty-eight (48) hours prior to construction of location and access roads.
Location Completion - prior to moving on the drilling rig.
Spud Notice - at least twenty-four (24) hours prior to spudding the well.
Casing String and - twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related - twenty-four (24) hours prior to initiating pressure Equipment Tests tests.
First Production - within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.
For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirement to Accompany APD

- Existing Roads describe the following and provide a legible map, labeled and showing:
 - a. Proposed wellsite as staked and access route to location, including distances from point where access route exists establish roads. (Actual staking should include tow directional reference stakes.)
 - b. Route and distance from nearest town or locatable reference point, such as a highway or county road, to where well access route leaves main road.
 - c. Access road(s) to location color-coded or labeled. CONFIDENTIAL
 - d. Plans for improvement and/or maintenance of existing roads. (Appropriate rights-of-way for off lease roads should be attached.)
- 2. <u>Planned Access Roads</u>—describe the following and provide a map of suitable scale indicating all necessary access roads (permanent and temporary) to be constructed or reconstructed, showing:

a.	Length - 1,328
b.	Width - 30 foot right-of-way with 18 foot running surface maximum.
c.	Maximum grades - 8%
d.	Turnouts - None
e.	Drainage design - Bar Pits
f.	Location and size of culverts and/or bridges, and brief description of any major cuts and fills - None
g.	Surfacing material (source) - <u>Native</u>
h.	Necessary gates, cattleguards, or fence cuts and/or modification to existing facilities - None

(New or reconstructed roads are to be centerline-flagged at time of location staking.)

All travel will be confined to existing access road rights-of-way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

7	X	Right-of-Way	Application	needed.
---	---	--------------	-------------	---------

CO	N	FI	D	F	N'	Π	ΔΙ	
W	ı	11	IJ	I i		11.	n	L

From 6-18F to 600' turnoff

The operator/lessee or his/her successor shall be responsible for all maintenance on cattleguards or gates associated with this oil and/or gas operation.

- 3. Location of Existing Wells describe the following and provide a map or plat of all wells within a 1 mile radius of the proposed well location showing and identifying existing:
 - a. Water wells
 - b. Abandoned wells
 - c. Temporarily abandoned wells
 - d. Disposal wells
 - e. Drilling wells
 - f. Producing wells
 - g. Shut-in wells
 - h. Injection wells

4. Location of Existing and/or Proposed Facilities

- a. On well pad: Show the following existing area facilities and dimensions to be utilized if the well is successfully completed for production (detail painting plans and color if applicable):
 - (1) Tank batteries
 - (2) Production facilities
 - (3) Oil gathering lines
 - (4) Gas gathering lines Map with pipeline route attached to production facility
 - (5) Injection lines
 - (6) Disposal lines
 - (7) Surface pits (separate application per NTL-2B requirements)

(Indicate if any of the above lines are buried.)

- b. Off well pad: Same as above. Off lease flowlines may require rights-of-way or special use permits, check with the District Office Realty Specialist. (Include a diagram of the proposed attendant lines, i.e., flowlines, powerlines, etc., if off well pad location.)
 - (1) Proposed location and attendant lines shall be flagged off of well pad prior to archaeological clearance.
 - (2) Dimensions of facilities
 - (3) Construction methods and materials

CONFIDENTIAL

(4) Protective measures and devices to protect livestock and wildlife

Note:

Operator has option of submitting information under 4A and B, after well is completed for production, by applying for approval of subsequent operations.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank	batteries	will	be	placed	on	the	North	of	location

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match on of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The	required	paint	color	is	Desert Tan	

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. Location and Type of Water Supply

- a. Show location and type of water supply, either by 1/4, 1/4 section on a map or by written description OSC #1
- b. State method of transporting water, and show any roads or pipelines needed.
- c. If water well is to be drilled on lease, so state CONFIDENTIAL

*The operator will be responsible for acquiring the necessary permit to obtain water to be used for drilling activities.

6. Source of Construction Materials

- a. Show information either on map or by written description -
- b. Identify if from Federal or Indian (tribal or allotted) land.
- c. Describe where materials such as sand, gravel, stone, and soil material are to be obtained and used.
 - *If fill materials are needed to construct roads or well sites, proper permits must be obtained from the Surface Management Agency, unless materials are obtained from a private source.
 - *A mineral materials application (is/is not) required.

7. Methods of Handling Waste Disposal

- a. Describe methods and location of proposed safe containment and disposal of each type of waste material, including:
 - (1) Cuttings bury in pit
 - (2) Sewage haul to sewer lagoon
 - (3) Garbage (trash) and other waste material haul to disposal
 - (4) Salts not used
 - (5) Chemicals non-toxic only; evaporate in pits
- b. Provide a plan for eventual disposal of drilling fluids and any produced oil or water recovered during testing operations.

On BLM administered lands:

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

^{*}Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

CONFIDENTIAL

The reserve pit (shall/shall not) be lined.

"If a plastic nylon reinforced liner is used, it will be a minimum of 10 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O."

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

On BIA administered lands:

All reserve pits will be lined with either native clay, commercial bentonite or plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit.)

- To protect the environment.

 If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements described by Part II, Standards of Quality for Waters of the State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.
- X To protect the environment (without a chemical analysis).

Reserve pits will be constructed so as not to leak, break, or allow discharge of liquids.

Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. Ancillary Facilities

CONFIDENTIAL

Camp facilities or airstrips will not be allowed unless otherwise approved.

- 9. Well Site Layout -- provide a plat (not less than 1" = 50') showing:
 - a. Cross-sections of proposed drill pad with approximate cuts and fills and the relation to topography.
 - b. Location of mud tanks, reserve, and flare pits, pipe racks, living facilities, and soil material stockpiles, etc. (Approval as used in this section means field approval of location.)
 - c. Rig orientation, parking ares, and access roads, etc.

The reserve pi	t will be located on the : Southeast corner
on the South	
	00 feet from the well head and 30 feet from the reserve
pit fence.	
The stockpiled East end	topsoil (first four inches) will be stored on the:
Access to the	well pad will be from the: Northwest
Disamadan dibat	
	h(es) shall be constructed on thecation (above / below) the cut slope, draining to the
side of the lo- Soil compacted	earthen berm(s) shall be placed on the location between the
Soil compacted side(s) of the	earthen berm(s) shall be placed on the location between the
Soil compacted side(s) of the The drainage(s	cation (above / below) the cut slope, draining to the earthen berm(s) shall be placed on the
Soil compacted side(s) of the The drainage(s side(s) of the The reserve pi	cation (above / below) the cut slope, draining to the earthen berm(s) shall be placed on the location between the shall be diverted around the

Fencing Requirements

- All pits will be fenced according to the following minimum standards:
 - a. 39-inch net wire shall be used with at least one stand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

- b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.
- c. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguard (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. Plans for Restoration of Surface

a. Producing Location

CONFIDENTIAL

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 6 months from the date of well completion. Before any dirt work takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc., will be removed.

Contact appropriate surface management agency for required seed mixture.

b. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) re-establishing irrigation systems where applicable, (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and, (c) ensuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

11. Surface Ownership:

Access Road	: Bureau	of Land	Management	
Location: _				

"If the access road and/or location involves private or state agency owned surface, a copy of the surface owners agreement is required prior to approval of the APD."

CONFIDENTIAL

12. Other Additional Information

- a. The Operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:
 - -whether the materials appear eligible for the National Register of Historic Places;
 - -the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
 - -a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible to mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- b. The operator will control noxious weeds along right-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- c. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

On BIA administered land:

CONFIDENTIAL

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization". All operators, subcontractors, vendors and their employees or agents may not disturb salable timber (including firewood) without a duly granted wood permit from the BIA Forester.

If the surface rights are owned by the Ute Indian Tribe and mineral rights ar owned by another entity, an approved rights-of-way will be obtained from the BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, rights-of-way will be obtained from the other entity.

All roads constructed by operators on the Uinta and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the BIA before cutting firewood or other timber products and (e) only authorized personnel permitted.

All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section, the section, township, and range).

CONFIDENTIAL

<u>Add</u>	tional Surface Stipulations
	No construction or drilling activities shall be conducted between and because of
	No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.
	No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.
	There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).
	No cottonwood trees will be removed or damaged.
<u> </u>	A silt catchment dam and basin will be constructed according to BLM specifications approximately ft. west of the location, where flagged.
13.	<u>Lessee's or Operators Representative and Certification</u>
	Representative
	Name:
	Address:
	Dhana Na

CONFIDENTIAL

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.


A complete copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.


The operator or his/her contractor shall contact the BLM Office at (801) 789-1362 forty-eight (48) hours prior to construction activities.


The BLM Office shall be notified upon site completion prior to moving on the drilling rig.


<u>Certification</u>:

I hereby certify that I, or persons inspected the proposed drillsite and acthe conditions which currently exist; the are true and correct to the best of associated with the operations proposed CNG Producing Company	cess route; that I am familiar with nat the statements made in this plan my knowledge; and, that the work
contractors and subcontractors in confo	
and conditions under which it is appro	
the provisions of 18 U.S.C. 1001 for the	ne filing of a false statement.
September 13, 1991 Date	Doss R. Bourgeois Name and Title
Onsite Date: <u>September 11, 1991</u>	
Participants on Joint Inspection	
Greg Darlington	National Res. Prot. Spec.
Frank Dudley	Range Conservationist
Mitch Hall	CNG Producing Company
Derwin Kulland	Manager Production - CNG











OIL GAS & MINING

E Landa Massacra	A CONTRACTOR OF THE PARTY OF TH	1.04			**************************************
	in the second	hete approval		oispeared by the	
		and the second of the second	and the second second		Y .
WATER	B.L. M.	w:11	Use	the ex	
<u>walem</u>	For	wild	LiFe +	Stock u	J. 4. 7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.
					-Aleria
		£			fa fa
	-				
					<u></u>
	,			<u> </u>	
and the state of t					
	1.0	No. 17.			
		<u> </u>	na ana ana ana ana ana ana ana ana ana 		
			r sterning visit in the first of the sterning	A	
en e	* * * * * * * * * * * * * * * * * * *				
	political in the control of the cont				
	(Hen -				
The		ings 4 if additions			
The		ings 4 if additions			ih.
The		PERS 4 If addition)
	can be benef	er sought to be a icially used for	ppropriated is the purpose he	limited to that which rein described	300 M
	can be benef	er sought to be a icially used for	ppropriated is the purpose he	limited to that which rein described	300 M
	can be benef	er sought to be a icially used for	ppropriated is the purpose he	limited to that which rein described	300 M
	can be benef	er sought to be a icially used for	ppropriated is the purpose he	limited to that which rein described	300 M
	can be beneficable corporation or other in the name of the tion or partnership uthorizing one to a	er organization. sign partnership by one, the affidavit belong to for all, should a	nature must be the of the partners w need not be fill eccompany the Ap	Signature of Applicant and the names of the cled in. If there is more plication.	300 M
"If applicant is a its proper officer, o listed. If a corpora ower of attorney, a	can be beneficable corporation or other in the name of the tion or partnership suchorizing one to a	er organization. sign partnership by one, the affidavit belong to for all, should a	nature must be the of the partners w need not be fill eccompany the Ap	Signature of Applicant and the names of the cled in. If there is more plication.	300 M
"If applicant is a its proper officer, o listed. If a corpora ower of attorney, a	can be beneficable corporation or other in the name of the tion or partnership suchorizing one to a	er sought to be a icially used for	nature must be the of the partners w need not be fill eccompany the Ap	Signature of Applicant and the names of the cled in. If there is more plication.	300 M
-If applicant is a its proper officer, o listed. If a corpora ower of attorney, a little of UTAH.	can be beneficant or other in the name of the tion or partnership authorizing one to a	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	limited to that which rein described Signature of Applicant and the names of the cled in. If there is more plication.	cher partners sin than one applicant
-If applicant is a its proper officer, o listed. If a corpora ower of attorney, a little of UTAH.	can be beneficant or other in the name of the tion or partnership authorizing one to a	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	limited to that which rein described Signature of Applicant and the names of the cled in. If there is more plication.	cher partners sin than one applicant
"If applicant is a its proper officer, o listed. If a corpora ower of attorney, a term of attorney, a term of attorney, and the officer of attorney.	can be beneficant or other in the name of the tion or partnership authorizing one to a	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	limited to that which rein described Signature of Applicant and the names of the cled in. If there is more plication.	cher partners sin than one applican
"If applicant is a its proper officer, o listed. If a corpora ower of attorney, a transport of attorney, a transport of attorney of attorn	can be benefication or other in the name of the tion or partnership authorizing one to a substitute of Utah, the santion to become such according to the such acco	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	Signature of Applicant and the names of the cled in. If there is more plication.	cher partners sin than one applicant
"If applicant is a its proper officer, o listed. If a corpora ower of attorney, a ATE OF UTAH.	can be benefication or other in the name of the tion or partnership authorizing one to a substitute of Utah, the santion to become such according to the such acco	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	limited to that which rein described Signature of Applicant and the names of the cled in. If there is more plication.	cher partners sin than one applicant
"If applicant is a its proper officer, o listed. If a corpora ower of attorney, a transport of attorney, a transport of attorney of attorn	can be benefication or other in the name of the tion or partnership authorizing one to a substitute of Utah, the santion to become such according to the such acco	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	limited to that which rein described Signature of Applicant and the names of the cled in. If there is more plication.	cher partners sin than one applicant
on the commission expires	can be beneficant or other in the name of the tion or partnership authorizing one to a control of the control o	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	limited to that which rein described Signature of Applicant and the names of the cled in. If there is more plication.	cher partners sin than one applicant
"If applicant is a its proper officer, o listed. If a corpora ower of attorney, a transport of attorney, a transport of attorney of attorn	can be beneficant or other in the name of the tion or partnership authorizing one to a control of the control o	organization. sign a partnership by one of the affidavit below to for all, should a ECLARATION (nature must be the of the partners we need not be fill ecompany the Ap	signature of Applicant is name of such corporation. Signature of Applicant is name of the corporation is more is more in the reasonable and the name of the corporation. HIP	cher partners sin than one applicant

BOP STACK



CHOKE MANIFOLD



SELF-CERTIFICATION STATEMENT

Self-certification statement. Under the Federal regulation in effect as of June 15, 1988 designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:

"Please be advised that <u>CNG Producing Company</u> is considered to be the operator of Well <u>No. 7-18F SW 1/4 of NE 1/4 Section 18, Township 10, Range 20; Lease U-013769 Uintah County, Utah; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by <u>American Casualty Company of Reading</u>, PA, Bond #524 7050.</u>

R. S. Gloger

Drilling Manager

			i
Form 3160-5	UNITE TATE	5	EARM APPROVED
	DEPARTMENT OF THE INTERIOR		GET BUREAU NO. 1004-0135
	BUREAU OF LAND MANAG	REMENT	EXPIRES: MARCH 31, 1993
			5. Lease Designation and Serial No.
	SUNDRY NOTICES AND REP	ORTS ON WELLS	U-013769
Do not use this f	form for proposals to drill or to o	leepen or reentry to a	6. If Indian, Allottee or Tribe Name
different reservo	ir. Use "APPLICATION FOR P	ERMIT - " for such proposals	
	SUBM	IT IN TRIPLICATE	
1. Type of Well		De la constant de la	7. If Unit or CA, Agreement Designation
[]Öil Well	[X] Gas Well [] Other		River Bend Unit
2. Name of Ope	erator	SEP 1 6 1991	8. Well Name and No.
CNG PRODU	JCING COMPANY	9FL 1 0 1551	7-18F
3. Address and		1 % 10 F 2 6 % 1 % 1 % 1 % 1 % 1 % 1 % 1 % 1 % 1 %	9. API Well No.
	 1450 Poydras Street, New Or 		
	Vell (Footage, Sec., T., R., M., o		10. Field and Pool, or Exploratory Area
Surface - 21	185' FNL and 1,794' FEL of Sec	at 18-T10S-R20E	Island
			11. County or Parish, State
			Uintah, Utah
			OTICE, REPORT, OR OTHER DATA
	TYPE OF SUBMISSION		E OF ACTION
	[] Notice of Intent	[] Abandonment	[] Change of Plans
		[] Recompletion	[] New Construction
	[X] Subsequent Report	[] Plugging Back	[] Non-Routine Fracturing
		[] Casing Repair	[] Water Shut-Off
	[] Final Abandonment Notice		[] Conversion to Injection
		[X] Other - Variance	[] Dispose Water (Note: Report results of multiple
		in casing	completion on Well Completion or
			Recompletion Report and Log form.)
40 D ib - D-		ns (Cloochy state all partinent d	etails, and give pertinent dates, including
13. Describe Pi	oposed or Completed Operation	ris (Clearly state all pertirient di	, give subsurface locations and measured
estimated da and true vert	tical depths for all markers and	zones pertinent to the work.)*	, give substitute locations and measuret
i Inder On	shore Order #2 casing and cer	nentina requirements, it states	" All casing, except the conductor
			or exceeds API standards for new casing"
the 8 5/8" 2	4# H-40 surface casing design	ed for this well and other wells	in the River Bend Unit meets all of the
			ich means it does not meet API
			,700 PSI which equals API standards for
	K-55 casing.	······································	,
00/0 21	t oo dasiig.		
We respe	ctfully submit this sundry and a	ttached letter from the compan	y the pipe was purchased from.
	•	•	
If any add	litional information is needed, p	lease advise.	CONFIDENTIAL
14. I hereby ce	ertify that the forgoing is true an	d correct	
Signed	(bas / Dangeon Title	Supervisor, Drilling Eng. Date	September 13, 1991
<u> </u>	Doss R. Bourgeois		
(This space	for Federal or State office use)		
• •			
Approved by	Title	Date	
	of approval, if any:		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR CAG Production	CO N-0605	DATE 9-00-91
WELL NAME RBJ 7-18F		
SEC <u>SWAE</u> 18 T 105	R ONE COUN	TY Llintah
43-047-30104 API NUMBER	ted	e of LEASE
CHECK OFF:		
PLAT	DNOB	NEAREST WELL
LEASE	FIELD	POTASH OR OIL SHALE
PROCESSING COMMENTS:	aded 91.60.0 app	1P.81-F below
Water Primit incl	udid in file	
Oil Shale area	·	
APPROVAL LETTER:		, , ,
SPACING: R615-2-3	Rulu Bind UNIT	R615-3-2
	CAUSE NO. & DATE	2615-3-3
STIPULATIONS:		
1-Oil Shale		



Division Director

State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

September 20, 1991

CNG Producing Company CNG Tower-1450 Poydras Street New Orleans, LA 70112-6000

Gentlemen:

Re: RBU 7-18F Well. 2185 feet from the North line, 1794 feet from the East line, SW NE, Section 18, Township 10 South, Range 20 East, Uintah County, Utah

Approval to drill the referenced well is hereby granted in accordance with Utah Code Ann. Section 40-6-18, et seq. (1953, as amended), and Utah Admin. R.615-2-3, subject to the following stipulation:

1. Special attention is directed to compliance with Utah Admin. R.6I5-3-34, which prescribes drilling procedures for designated oil shale areas.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification in the event it is necessary to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801) 538-5340, (Home) (801) 476-8613, or R. J. Firth, Associate Director, (Home) (80I) 571-6068.
- 5. Compliance with the requirements of Utah Admin. R.6l5-3-20, Gas Flaring or Venting.

Page 2 CNG Producing Company RBU 7-18F September 20, 1991

- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (80I) 538-6159.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-32104.

Sincerely,

Associate Director, Oil & Gas


tas

Enclosures

cc: Bureau of Land Management

J. L. Thompson

we14/1-4



DIVISION OF OIL, GAS & MINING

OCT 3 0 1991

3160 (UT08438)

CNG Producing Company CNG Tower 1450 Poydras Street New Orleans, LA 70112-6000

Re:

43-047-32/04 Well No. 7-18F

SWNE, Sec. 18, T10S, R20E

Lease No. U-013769 Uintah County, Utah

Gentlemen:

Attached, as per your request, is the Application for Permit to Drill for the above mentioned well.

If you have any questions concerning this matter, please contact Sally Gardiner at this office (801) 789-1362.

Sincerely,

Howard B. Cleavinger

Assistant District Manager for Minerals

Enclosure

cc:

Jim Simonton

SGardiner:plp:October 30, 1991

bcc:

Central file Reading file

Well file

CNG Producing Company

A CINCI COMPANY

CNG Tower 1450 Poydras Sirbet New Orleans, LA 70112-6000 (504) 593-7000

November 8, 1991

Ms. Tammy Searing
Utah Board of Oil Gas & Mining
355 West North Temple
3 Triad Center
Suite 350
Salt Lake City, UT 84180-1203

RE: River Bend Unit

Application for Permit To Drill

River Bend Unit 7-18F Section 18-T10S-R20E

43:047-32104

Gentlemen:

Please be advised per this letter that CNG Producing Company has decided not to drill the above referenced well. It is being replaced by the RBU 8-18F well to increase the distance from the RBU 6-18F well. Enclosed for your information is a copy of the Sundry Notice that was sent to the Bureau of Land Management.

Should you have any question please feel free to contact either myself at (504) 593-7260 or the project engineer, Doss Bourgeois at (504) 593-7719.

Sincerely,

Susan M. Hebert

Regulatory Reports Asst. II

M. Hebert

Enclosure

cc: Yvonne Abadie

Brian Coffin Cathy Sullivan NOV 1 2 1991

DIVISION OF OIL GAS & MINING



Dee C. Hansen Executive Director Dianne R. Nielson, Ph.D. Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

November 21, 1991

CNG Producing Company CNG Tower - 1450 Poydras Street New Orleans, Louisiana 70112-6000

Gentlemen:

Re: RBU 7-18F, Sec. 18, T. 10S, R. 20E, Uintah County, Utah, API No. 43-047-32104

Per your request, approval to drill the above referenced well is hereby rescinded. A new Application for Permit to Drill must be filed with this office for approval, <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley Administrative Supervisor

Oil and Gas

DME/ldc

cc: R.J. Firth

Well file

WOI139



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 U-01470-A et al (UT-932)

JUN 2 2000

NOTICE

Dominion Exploration & Production, Inc. 1450 Poydras Street New Orleans, LA 70112-6000

Oil and Gas Leases

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

Is! Robert Lopez

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure Exhibit of Leases

RECE

JUN 05 20 1

DIVISION OF OIL GAS AND HERE cc: Wyoming State Office

New Mexico State Office


Moab Field Office Vernal Field Office

MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801

Irene Anderson (UT-932) Teresa Thompson (UT-931)

LaVerne Steah (UT-942)





June 27, 2000

Mr. Jimmy Thompson Utah Board of Oil Gas & Mining 1594 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

Susan H. Sachita 12

Susan H. Sachitana

Regulatory Reports Administrator

Enclosure

cc: Nelda Decker


RECEIVED


JUN 2 9 2000


DIVISION OF OIL, GAS AND MINING

STATE OF UTAH

D		5. Lease Designa	ation and Serial Number:		
SUNDRY NOTICES AND REPORTS ON WELLS			6. If Indian, Allottee or Tribe Name:		
	to drill new wells, deepen existing wells or to reenter plugged and a	7. Unit Agreement Name:			
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals. 1. Type of Well: OIL GAS OTHER:			8. Well Name and Number: VARIOUS		
Name of Operator: DOMINION EXPLORATION & P	RODUCTION, INC.		9. API Well Numb	per	
 Address and Telephone Number. 1460 Poydras Street, New Orlean 			10. Field and Pool Natural Buttes		
Location of Well Footages: QQ, Sec, T., R., M.:			County: State:	UINTAH UTAH	
11. C	HECK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTIC			
	E OF INTENT IT IN DUPLICATE)		SUBSEQUEN (Submit Origina		
Abandon	New Construction	Abandon*		New Construction	
Repair Casing	Pull or Alter Casing	Repair Casing		Pull or Alter Casing	
Change of Plans	Recomplete	Change of Plans	3	Reperforate	
Convert to Injection	Reperforate	Convert to Inject	ion	Vent or Flare	
Fracture Treat or Acidize	Vent or Flare	Fracture Treat o	r Acidize	Water Shut-Off	
Multiple Completion	Water Shut-Off	XOther	OPERATOR NAME	CHANGE FOR WELLS	
Other		Date of work compl	etion		
Approximate date work will start			Completion and Recompletion OMPLETION REPORT AND LO	to different reservoirs on WELL OG form.	
12. DESCRIBE PROPOSED OR COMPLETION OPE	RATIONS (Clearly State all pertinent details, and give pertinent dat	*Must be accompanied b	y a cement verification report.	neurod and true	
and would like to transfer the well	April 12, 2000, CNG Producing Company has permits into the name of Dominion Explorati The bond number is 76S 63050 361.	s changed its name to Do	ur new bond has bee	R Production, Inc. on filed and is pending	
				JUN 2 9 2000	
			OIL,	DIVISION OF GAS AND MINING	
13.	Osl.	0.1/1.0			
	Title:	Sr. Vice-President - Dor	ninion Expl. & Prod.,	Inc. Date: June 26, 2000	
(This space for State use only)					







Receipt Number: 22156

\$60.00

Amount Pald:

Application To Amend The CERTIFICATE OF AUTHORITY OR **REGISTRATION of**

Division of Corporations & Commercial Code

	CNG Producing Company Business Entity Name
	Delaware Name of Home State
1.	AMENDING THE BUSINESS NAME
	The business name is changed to: Dominion Exploration & Production, Inc.
	The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.
	The commission shall use its manua we see that he at the
	If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.
Cilotii	 The name of the corporation is changing it's name in Utah to the new name of the corporation in the home state, The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.
II .	AMENDING THE DURATION OF THE BUSINESS EXISTENCE
	The businesses period of duration is changed to:
ito S	v-emeases period of duration is changed to.
III.	AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION The corporation's state or country of incorporation/registration is changed to:
IV.	Other:
	(Limited Partnership changing General Partners, Limited Companies changing Members or Managers. Change of statement who is managing, etc.) Use an attached sheet if needed.
Under	enalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be,
to the b	est of the knowledge and belief, true and correct.
	~!/ / _e ((() `) / _e .
	Vice President & Corporate Secretary April 20 2000 Signature Title Departituation of Commerce Division of Corporations and Commercial Co
	I Hereby certify that the foregoing has been fill and approved on this 2 Zday of 40/20 In the office of this Division and hereby issue this Certificate thereof. Division of Corporations AND COMMERCIAL CODE 160 East 300 South / Box 146705

Salt Lake City, UT 84114-6705 Service Center: (801) 530-4849

Web Site: http://www.commerce.state.ut.us

APR 25 2000

Ush Dk Of Corp. & Comm. Code

Well Name	Api Well Code	Operator Name	Production Status	Lease Type
AMY THORPE - USA 1	4303731283	DOMINION EXPLORATION & PR	LA	BLM
KENNETH TAYLOR - USA 1	4303731284	DOMINION EXPLORATION & PR	LA	BLM
TRUDI FED 2-17	4303731453	DOMINION EXPLORATION & PR	PA	BLM
MAJOR MARTIN FED 1	4303731479	DOMINION EXPLORATION & PR	PA	BLM
OSC #3) ★	4304730104	DOMINION EXPLORATION & PR	PA	BLM
OSC #5-2 →	4304730129	DOMINION EXPLORATION & PR	PR	STATE
NATURAL #1-2 - RBU	4304730153	DOMINION EXPLORATION & PR	PA	
RBU #11-21E	4304730414			BLM
RBU #11-36B		DOMINION EXPLORATION & PR	PA .	BLM
	4304730583	DOMINION EXPLORATION & PR	DA	STATE
FEDERAL #1-26A	4304730716	DOMINION EXPLORATION & PR	PA	BLM
FEDERAL #6-30B	4304730733	DOMINION EXPLORATION & PR	PA	BLM
BARTON FEDERAL #1-26	4304731179	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-2D	4304731190	DOMINION EXPLORATION & PR	PR	STATE
RBU #16-2D	4304731353	DOMINION EXPLORATION & PR	PR	STATE
HILL CREEK FEDERAL #1-29 HC U	4304731522	DOMINION EXPLORATION & PR	PR	BLM
RBU #10X-15E	4304731551	DOMINION EXPLORATION & PR	PA	BLM
HILL CREEK STATE #1-32	4304731560	DOMINION EXPLORATION & PR	UNK	STATE
* HILL CREEK FEDERAL #1-27)	4304731675	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-31B	4304731765	DOMINION EXPLORATION & PR	LA	BLM
STATE #4-36E	4304731777	DOMINION EXPLORATION & PR	PR	STATE
SADDLE TREE DRAW 4-31	4304731780	DOMINION EXPLORATION & PR	LA	BLM
SADDLE TREE DRAW 16-31	4304731781	DOMINION EXPLORATION & PR	LA	BLM
SADDLE TREE DRAW 13-34	4304731782	DOMINION EXPLORATION & PR		
(STATE #12-36E)	4304731784		LA	BLM
RBU #3-10D		DOMINION EXPLORATION & PR	LA	STATE
	4304731832	DOMINION EXPLORATION & PR	PA	BLM
RBU #16-19C	4304731841	DOMINION EXPLORATION & PR	DA	BLM
EVANS FEDERAL #3-25	4304731878	DOMINION EXPLORATION & PR	PR	BLM
EVANS FEDERAL #41-26	4304731879	DOMINION EXPLORATION & PR	PR	BLM
STATE #11-36E)	4304732019"	DOMINION EXPLORATION & PR	PR	STATE
→ RBU #7-13E	4304732051	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-18F	4304732104	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-15F	4304732109	DOMINION EXPLORATION & PR	LA	(BIA)
RBU #7-15F	4304732111	DOMINION EXPLORATION & PR	LA	(BIA)
RBU #7-23E	4304732125	DOMINION EXPLORATION & PR	LA	BLM
RBU #6-19F	4304732126	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-17F	4304732127	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-10E	4304732139	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-15F	4304732140	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-3E	4304732152	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-24E	4304732154	DOMINION EXPLORATION & PR	LA	BLM
RBU #5-17F	4304732165	DOMINION EXPLORATION & PR	LA	BLM
RBU #15-13E	4304732167	DOMINION EXPLORATION & PR	LA	
RBU #3-19FX	4304732216			BLM
STATE 2-32B	4304732221	DOMINION EXPLORATION & PR	LA :	BLM
STATE #5-36B		DOMINION EXPLORATION & PR	PR ·	STATE
	4304732224	DOMINION EXPLORATION & PR	PR	STATE
FEDERAL #13-26B	4304732237	DOMINION EXPLORATION & PR		BLM
STATE #9-36B	4304732249	DOMINION EXPLORATION & PR	PR	STATE
RBU #11-21F	4304732262	DOMINION EXPLORATION & PR	LA	BLM
RBU #4-15F	4304732269	DOMINION EXPLORATION & PR	PA	BIA
RBU #1-3E	4304732272	DOMINION EXPLORATION & PR	LA	BLM
RBU #16-9E	4304732273	DOMINION EXPLORATION & PR	LA	BLM
RBU #3-10E	4304732291	DOMINION EXPLORATION & PR	PA	BLM
RBU #7-23E	4304732294	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-19F2	4304732311	DOMINION EXPLORATION & PR	LA ,	BLM
RBU #12-2F	4304732316	DOMINION EXPLORATION & PR	LA	STATE
RBU #7-20E	4304732332	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-34B	4304732334	DOMINION EXPLORATION & PR	PA	BLM
RBU #9-20E	4304732335	DOMINION EXPLORATION & PR	LA	BLM
RBU #7-19F	4304732360	DOMINION EXPLORATION & PR	LA	BLM
RBU #13-23F	4304732361	DOMINION EXPLORATION & PR	LA	BLM
EVANS FEDERAL #12-25A	4304732394	DOMINION EXPLORATION & PR	PR	BLM
EVANS FEDERAL #32-26	4304732395	DOMINION EXPLORATION & PR	PR .	
STATE #2-36D	4304732404			BLM
STATE #9-36E	4304732405	DOMINION EXPLORATION & PR	LA .	STATE
WITT #5-00E	70071 02400	DOMINION EXPLORATION & PR	RECEIV	/世代
			ハニしにハ	/ 匚 レ

JUN 2 9 2000 DIVISION OF

Division of Oil, Gas and Mining

ROUTING:

110022101	
	4-KAS
2-CDW	5440
3-JLT	6-FILE

OPERATOR CHANGE WORKSHEET

Check each listed item when completed. Write N/A if item is not applicable.

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change Only

Merger

The operator of the well(s) listed below has changed, effective: 4-12-00

TO:(New Operator) <u>DOMINION EXPL</u> & PROD INC.

Address:

1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000

Account No. N1095

FROM: (Old Operator) CNG PRODUCING COMPANY

Address: 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000

Account No.____N0605

WELL(S):	CA Nos.	01	RIVER BEND		Unit
Name: NATURAL 1-2	API:	43-047-30153	Entity: 11377	S 02 T 10S R 2	0E Lease: ML-10716
Name: <u>RBU 11-21E</u>	API:_	43-047-30414	Entity: 9010	S 21 T 10S R 19	
Name: <u>RBU 11-31B</u>	API:	43-047-31765	Entity: 9010	S 21 T 10S R 1	9E Lease: U-013766
Name: RBU 3-10D	API:_	43-047-31832	Entity: <u>4955</u>	S 10 T 10S R 1	8E Lease: U-013818-A
Name: <u>RBU 16-19C</u>	API:_	43-047-31841	Entity: <u>4955</u>	S 10 T 10S R 1	8E Lease: U-013818-A
Name: <u>RBU 7-13E</u>	API:_	43-047-32051	Entity: 7050	S 13 T 10S R 1	9E Lease: U-013765
Name: <u>RBU 7-18F</u>	API:_	43-047-32104	Entity: <u>99998</u>	S 18 T 10S R 2	OE Lease: U-013769
Name: <u>RBU 7-23E</u>	API:	43-047-32125	Entity: <u>99998</u>	_S_23_T_10S_R_1	9E Lease: <u>U-01376</u>
Name: <u>RBU 6-19F</u>	API:_	43-047-32126	Entity: <u>99998</u>	_S <u>19</u> _T <u>10S</u> _R <u>2</u>	0E Lease: U-013769A
Name: <u>RBU 3-17F</u>	API:_	43-047-32127	Entity: <u>7050</u>	_S <u>17</u> T <u>10S</u> R <u>2</u>	0E Lease: <u>U-013769C</u>
Name: <u>RBU 15-10E</u>	API:_	43-047-32139	Entity: <u>99998</u>	_S <u>10</u> T <u>10S</u> R <u>1</u>	.9E Lease: <u>U-013792</u>
Name: <u>RBU 3-15F</u>	API:_	43-047-32140	Entity: <u>99998</u>	_S <u>15</u> T <u>10S</u> R <u>2</u>	0E Lease: <u>U-7206</u>
Name: RBU 3-3E	API:_	43-047-32152	Entity: <u>99998</u>	_S <u>03</u> _T <u>10S</u> _R <u>1</u>	9E Lease: U-013765
Name: <u>RBU 5-24E</u>	API:	43-047-32154	Entity: <u>7050</u>	_S <u>24</u> _T <u>10S</u> _R <u>1</u>	9E Lease: U-013794
Name: <u>RBU 5-17F</u>	API:	43-047-32165	Entity: <u>99998</u>	_S <u>17</u> _T <u>10S</u> _R <u>2</u>	0E Lease: <u>U-013769C</u>
Name: <u>RBU 15-13E</u>	API:	43-047-32167	Entity: 7050	S 13 T 10S R 1	9E Lease: U-013765

LT 21-9

OPERATOR CHANGE DOCUMENTATION

- YES 1. A pending operator change file has been set up.
- YES 2. (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on 6-29-00.
- YES 3. (R649-8-10) Sundry or other legal documentation has been received from the NEW operator on 6-29-00
- <u>YES</u> 4. The new company has been looked up in the Department of Commerce, Division of Corporations Database if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? Yes/No If yes, the company file number is **SEE ATTACHED**. If no, Division letter was mailed to the new operator on____

<u>YES</u> 5.	Federal and Indian Lease Wells. The BLM or the BIA has approved the merger, name change or operator change for all wells listed bove involving Federal or Indian leases on 6-2-00
<u>N/A</u> 6.	Federal and Indian Units. The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on
<u>N/A</u> 7.	Federal and Indian Communitization Agreements ("CA"). The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on
<u>N/A</u> 8.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
<u>YES</u> 9.	Changes have been entered in the Oil and Gas Information System for each well listed on 7-25-00.
<u>YES</u> 10.	Changes have been included on the Monthly Operator Change letter on
STATE BO	ND VERIFICATION
<u>N/A</u> 1.	State Well(s) covered by Bond No
FEE WELI	LS - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION
<u>N/A</u> 1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond.
<u>N/A</u> 2.	A copy of this form has been placed in the new and former operator's bond files on
<u>N/A</u> 3.	The FORMER operator has requested a release of liability from their bond as of todays date? If yes, Division response was made to this request by letter dated (see bond file).
<u>N/A</u> 4.	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated, of their responsibility to notify all interest owners of this change.
<u>N/A</u> 5.	Bond information added to RBDMS on
<u>N/A</u> 6.	Fee wells attached to bond in RBDMS on
FILMING	
1.	All attachments to this form have been microfilmed on $2-23-0/$.
FILING	
1.	Originals/Copies of all attachments pertaining to each individual well have been filed in each well file.
2.	The original of this form has been filed in the operator file and a copy in the old operator file.
COMMEN	ΓS